# **SAFETY DATA SHEET**

## **SECTION 1 - PRODUCT & COMPANY IDENTIFICATION**

Product Name: 359 Novolac Epoxy Lining Product Code: 359-Activator

Trade Name: 359-Activator Adams Paint Mfg Company

1416 N University Ave Lubbock, Tx 79415

Telephone Number: 806-763-2944 Web Site: adamspaintmfg.com

Product Use: See Product Data Sheet

Not recommended for: See Product Data Sheet

**Emergency Contacts & Phone Numbers** 

Chemtrec: 800-424-9300

SDS Request Line: 806-763-2944

Presumed, Based on experimental animals

## **SECTION 2 - HAZARDS IDENTIFICATION**

## **GHS Ratings:**

Flammable liquid	4	Flash point >= 60°C (140°F) and <= 93°C (200°F)	
Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg	
Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal	
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5	
Respiratory sensitizer	1	Respiratory sensitizer	
Skin sensitizer	1	Skin sensitizer	
Mutagen	1B	Known to produce heritable mutations in human germ cellsSubcategory 1B, Positive results: In vivo heritable germ cell tests in mammals, Human germ cell tests, In vivo somatic mutagenicity tests, combined with some evidence of germ cell mutagenicity	

#### **GHS Hazards**

Reproductive toxin

H227	Combustible liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects
H360	May damage fertility or the unborn child

1B

## **GHS Precautions**

SDS for: 359-Activator

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep away from heat, sparks, open flames, hot surfaces and other ignition sources - No smoking
Keep cool
Do not breathe dust, fumes, gas, mist, vapors or spray
Avoid breathing dust, fumes, gas, mist, vapors or spray
Wash thoroughly after handling
Do not eat, drink or smoke when using this product
Contaminated work clothing should not be allowed out of the workplace

Page 1 of 7

P280 Wear protective gloves, protective clothing, eye protection and face protection
P281 Use personal protective equipment as required

P285 In case of inadequate ventilation wear respiratory protection

P310 Immediately call a POISON CENTER or physician
P321 Specific treatment (see Section 4 of SDS on this label)

P330 Rinse mouth

P363 Wash contaminated clothing before reuse

P301+P312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P352 IF ON SKIN: Wash with soap and water

P303+P361+P353 IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P308+P313 IF exposed or concerned: Get medical attention
P333+P313 If skin irritation or a rash occurs: Get medical attention

P342+P311 Call a POISON CENTER or physician

P370+P378 In case of fire: Use dry chemical, foam, carbon dioxide or water fog for extinction

P405 Store locked up

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents and container in accordance with local and national

regulations

#### Signal Word: Danger



#### SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Formaldehyde, polymer with benzenamine, hydrogenated	135108-88-2	30.00% - 40.00%
Benzyl alcohol	100-51-6	30.00% - 40.00%
1,3-Benzenedimethanamine	1477-55-0	5.00% - 10.00%
Diethylenetriamine	111-40-0	5.00% - 10.00%
Formaldehyde, oligomeric reaction products with phenol and m-phenylenebis(methylamine)	57214-10-5	1.00% - 5.00%
Bisphenol A	80-05-7	1.00% - 5.00%
Phenol	108-95-2	1.00% - 5.00%

## **SECTION 4 - FIRST AID MEASURES**

<u>Inhalation</u>: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, give artifitial respiration or give oxygen by trained personnel. Seek immediate medical attention.

**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.

Skin Contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash

SDS for: 359-Activator Page 2 of 7

contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. In the event of any complaints or symptoms, avoid further exposure. Get medical attention if irritation developes or persist.

<u>Ingestion</u>: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. DO NOT induce vomiting unless directed to do so by medical personel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person.

<u>Overexposure Effects</u>: Corrosive - Causes skin and eye burns. May cause allergic skin and respiratory reactions. Harmful if absorbed though skin. May be harmful if swallowed.

**Notes to Physician:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### **SECTION 5 - FIRE FIGHTING MEASURES**

Flash Point: 79 C (174 F)

LEL: 2.00 UEL:

<u>Suitable Extinguishing Media</u>: Use carbon dioxide, foam, dry chemical or water spray to extinguishing fire. Do not use water jet.

**Specific Hazards arising from the Chemical:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Hazardous Combustion Products:** Decomposition products may include the following materials: phenol, carbon oxides, nitrogen oxides, ammonia.

<u>Protection of Firefighters</u>: Water may be unsuitable as an extinguishing media, but helpful in keeping adjacent containers cool. If a leak or spill has ignited, use water spray to disperse the vapors and to protect the men attempting to stop leak.

<u>Protective Equipment and Precautions for Firefighters</u>: Wear self-contained breathing apparatus and full protective gear.

#### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

<u>Personal Precautions</u>: No action shall be taken involving personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Use proper personal protective equipment as listed in Section 8.

**Environmental Precautions:** Avoid runoff into storm sewers, ditches and waterways. Inform the relevant authorities if the product has caused environmental pollution.

<u>Small Spills</u>: Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

<u>Large Spills</u>: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Absorb with sand, diatomite or earth and place in a designated, labeled waste container. dispose of via a licensed waste disposal contractor. Contaminated absorbant material may pose the same hazard as the spilled product.

## **SECTION 7 - HANDLING AND STORAGE**

<u>Handling</u>: Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breath vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep container closed when not in use. Do not reuse container.

<u>Storage</u>: Store in original container in a well ventilated area away from incompatible materials (see section 10). Keep container tightly closed when not in use. Use appropriate containment to avoid environmental contamination.

#### **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

Chemical Name / CAS No. OSHA Exposure Limits		ACGIH Exposure Limits	Other Exposure Limits
Formaldehyde, polymer with benzenamine, hydrogenated	Not Established	Not Established	Not Established
135108-88-2			

SDS for: 359-Activator Page 3 of 7

Benzyl alcohol 100-51-6	Not Established	Not Established	Not Established
1,3-Benzenedimethanamine 1477-55-0	Not Established	0.1 mg/m3 Ceiling	NIOSH: 0.1 mg/m3 Ceiling
Diethylenetriamine 111-40-0	Not Established	1 ppm TWA	NIOSH: 1 ppm TWA; 4 mg/m3 TWA
Formaldehyde, oligomeric reaction products with phenol and m-phenylenebis (methylamine) 57214-10-5	Not Established	Not Established	Not Established
Bisphenol A 80-05-7	Not Established	Not Established	Not Established
Phenol 108-95-2	5 ppm TWA; 19 mg/m3 TWA	5 ppm TWA	NIOSH: 5 ppm TWA; 19 mg/m3 TWA 15.6 ppm Ceiling (15 min); 60 mg/m3 Ceiling (15 min)

**Engineering Controls:** Use appropriate engineering control such as process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective, wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

**Eye / Face Protection:** Wear protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulations.

**Skin Protection:** Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eye, skin or clothing.

Respiratory Protection: A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive-pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

<u>General Hygiene Considerations</u>: Avoid breathing vapor or mist. Avoid contact with eyes and skin. Wash thoroughly after handling and before eating or drinking. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

# **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Odor: Amine Appearance: Liquid Vapor Pressure: 0.079 mmHg Odor threshold: No Data Vapor Density: Heavier than air pH: No Data Lbs / Gallon 8.80 Melting point: No Data Freezing point: No Data Solubility: Miscible Boiling range: 182°C Flash point: 174 F,79 C Flammability: No Data Evaporation rate: Slower than Ether **Explosive Limits: 2%** Partition coefficient (n- No Data octanol/water): Autoignition temperature: 399°C **Decomposition temperature:** No Data VOC g/I 0.000 Viscosity: No Data

SDS for: 359-Activator Page 4 of 7

#### **SECTION 10 - STABILITY AND REACTIVITY**

**Chemical Stability:** Stable under normal temperatures and pressures.

**Conditions to Avoid:** Heat and other ignition sources.

<u>Incompatible Materials</u>: Avoid contact with peroxides, oxidizing agents, acids, alkalis, copper and its alloys. <u>Hazardous Decomposition Products</u>: Decomposition products may include carbon oxides, nitrogen oxides,

ammonia, aldehydes.

Hazardous Polymerization: No further relavant information available.

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

## **Mixture Toxicity**

Oral Toxicity LD50: 1,831mg/kg Dermal Toxicity LD50: 2,878mg/kg Inhalation Toxicity LC50: 23mg/L

#### **Component Toxicity**

100-51-6 Benzyl alcohol

Oral LD50: 1,230 mg/kg (Rat) Dermal LD50: 2 g/kg (Rabbit) Inhalation LC50: 9 mg/L (Rat)

1477-55-0 1,3-Benzenedimethanamine

Oral LD50: 660 mg/kg (Rat) Dermal LD50: 2 g/kg (Rabbit) Inhalation LC50: 700 ppm (Rat)

111-40-0 Diethylenetriamine

Oral LD50: 1,080 mg/kg (Rat) Dermal LD50: 672 mg/kg (Rabbit) Inhalation LC50: 70 mg/L (Rat)

80-05-7 Bisphenol A

Oral LD50: 3,300 mg/kg (Rat) Dermal LD50: 3,000 mg/kg (Rabbit)

108-95-2 Phenol

Oral LD50: 340 mg/kg (Rat) Dermal LD50: 630 mg/kg (Rabbit)

CAS Number Description % Weight Carcinogen Rating
None No Data

# SECTION 12 - ECOLOGICAL INFORMATION

No additional information provided for this product. See Section 3 for chemical specific data.

**Component Ecotoxicity** 

Benzyl alcohol 96 Hr LC50 Pimephales promelas: 460 mg/L [static]; 96 Hr LC50 Lepomis

macrochirus: 10 mg/L [static] 48 Hr EC50 water flea: 23 mg/L

Diethylenetriamine 96 Hr LC50 Poecilia reticulata: 248 mg/L [static]; 96 Hr LC50 Poecilia reticulata:

1014 mg/L [semi-static]

48 Hr EC50 Daphnia magna: 16 mg/L

72 Hr EC50 Pseudokirchneriella subcapitata: 1164 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 345.6 mg/L; 96 Hr EC50 Desmodesmus

subspicatus: 592 mg/L

Bisphenol A 96 Hr LC50 Pimephales promelas: 3.6 - 5.4 mg/L [flow-through]; 96 Hr LC50

Pimephales promelas: 4.0 - 5.5 mg/L [static]; 96 Hr LC50 Oncorhynchus

mykiss: 4 mg/L; 96 Hr LC50 Brachydanio rerio: 9.9 mg/L [static]

48 Hr EC50 Daphnia magna: 10.2 mg/L; 48 Hr EC50 Daphnia magna: 3.9 mg/L;

48 Hr EC50 Daphnia magna: 9.2 - 11.4 mg/L [Static] 96 Hr EC50 Pseudokirchneriella subcapitata: 2.5 mg/L

SDS for: 359-Activator Page 5 of 7

Phenol

96 Hr LC50 Pimephales promelas: 11.9 - 50.5 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 20.5 - 25.6 mg/L [static]; 96 Hr LC50 Pimephales promelas: 32 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 5.449 - 6.789 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 7.5 - 14 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 4.23 - 7.49 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 5.0 - 12.0 mg/L; 96 Hr LC50 Lepomis macrochirus: 13.5 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 11.9 - 25.3 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 11.5 mg/L [semi-static]; 96 Hr LC50 Poecilia reticulata: 34.09 - 47.64 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 31 mg/L [semi-static]; 96 Hr LC50 Brachydanio rerio: 27.8 mg/L; 96 Hr LC50 Cyprinus carpio: 0.00175 mg/L [semi-static]; 96 Hr LC50 Oryzias latipes: 33.9 - 43.3 mg/L [flow-through]; 96 Hr LC50 Oryzias latipes: 23.4 - 36.6 mg/L [static] 48 Hr EC50 Daphnia magna: 4.24 - 10.7 mg/L [Static]; 48 Hr EC50 Daphnia magna: 10.2 - 15.5 mg/L

96 Hr EC50 Pseudokirchneriella subcapitata: 46.42 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 0.0188 - 0.1044 mg/L [static]; 72 Hr EC50

Desmodesmus subspicatus: 187 - 279 mg/L [static]

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

<u>Waste Disposal</u>: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classification of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidlines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and / or state and local guidelines.

#### **SECTION 14 - TRANSPORT INFORMATION**

AgencyProper Shipping NameUN NumberPacking GroupHazard ClassDOTPaint3066II8

# **SECTION 15 - REGULATORY INFORMATION**

Additional regulatory listings, where applicable.

**CERCLA RQ:** 

ComponentRQ (lbs)Phenol500

SARA 311/312 Hazard Classes: Acute, Chronic

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

#### **SARA 302 Components:**

108-95-2 Phenol 1 to 5 %

## **SARA 313 TOXIC CHEMICALS:**

108-95-2 Phenol 1 to 5 % 80-05-7 Bisphenol A 1 to 5 %

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory.

- None

# **SECTION 16 - OTHER INFORMATION**

SDS for: 359-Activator Page 6 of 7

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.

Reviewer Revision

Date Prepared: 6/17/2015

SDS for: 359-Activator Page 7 of 7

Printed: 6/17/2015 at 8:00:23AM